	т	LAST Seat		- T''-''-		
Ref #	' Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("7035230").PN.	US-PGPUB; USPAT	OR	OFF	2006/12/07 16:59
L2	1477	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L3	1879	709/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L4	1126	709/205.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L5	930	709/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L6 ·	0	709/201203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L7	9955	709/201-203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L8	4105	709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L9	30640	709/217-231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L10	1752	718/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33

L11	950	719/310.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L12	3246	719/311-318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L13	45975	L2 or L3 or L4 or L5 or L6 or L7 or L8 or L9 or L10 or L11 or L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L14	5235	L13 and (reserv\$5 or allocat\$5 or preserv\$5) near5 (resource or source or supply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L15	137	L13 and ((reserv\$5 or allocat\$5 or preserv\$5) near5 (resource or source or supply) same conference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
L16	6729	cisco\$.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L17	100	L16 and conference same (resource or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L18	146	379/93.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L19	221	379/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L20	860	379/202.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34

L21	1171	L18 or L19 or L20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L22	140	L21 and conference same (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L23	26	conference near5 resource near5 (allocat\$5 or reserv\$5) same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L24	1188	370/260-263.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L25	10417	370/270,386,389,390,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L26	597	370/395.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L27	295	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L28	593	370/395.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L29	12775	L24 or L25 or L26 or L27 or L28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L30	583	L29 and conference same (resource or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34

				-		
L31	100	L16 and conference same (resource or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L32	19	L31 and conference same (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
L33	45975	L2 or L3 or L4 or L5 or L6 or L7 or L8 or L9 or L10 or L11 or L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:35
L34	583	L29 and conference same (resource or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:35
L35	134	L34 and conference same (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:35
S1	1389	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/03/19 19:20
S2	1628	709/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:20
S3	999	709/205.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:20
S4	781	709/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:20
S5	0	709/201203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:21

S6	8783	709/201-203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:21
S7	3440	709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:21
S8	26115	709/217-231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:21
S9	1503	718/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:21
S10	897	719/310.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/03/19 19:21
S11	2868	719/311-318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:21
S12	39492	S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8 or S9 or S10 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:35
S13	4484	S12 and (reserv\$5 or allocat\$5 or preserv\$5) near5 (resource or source or supply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
S14	115	S12 and ((reserv\$5 or allocat\$5 or preserv\$5) near5 (resource or source or source or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:33
S15	4957	cisco\$.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 19:24

S16	68	S15 and conference same (resource or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
S17	7	S16 and conference same (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
S18	1051	370/260-263.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:17
S19	8617	370/270,386,389,390,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:18
S20	493	370/395.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:18
S21	260	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:18
S22	490	370/395.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:18
S23	10643	S18 or S19 or S20 or S21 or S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:18
S24	497	S23 and conference same (resource or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
S25	176	S23 and conference same (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:20

S26	116	S24 and conference same (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:35
S27	137	379/93.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:21
S28	214	379/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:21
S29	790	379/202.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2006/03/19 20:21
S30	1090	S27 or S28 or S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 20:21
S31	128	S30 and conference same (reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34
S32	219	conference near5 resource near5 (allocat\$5 or reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 21:43
S33	19	conference near5 resource near5 (allocat\$5 or reserv\$5) same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/07 17:34



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library

The Guide

+reserve +network +resources +conference

ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>reserve network resources conference</u>

Found 4,421 of 193,448

Sort results

by Display

results

relevance

expanded form

Save results to a Binder ? Search Tips 🌃 Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 200

Best 200 shown

window

Result page: 1 2 3 4 5 6 7 8 9 10

next

Relevance scale

Cluster reserves: a mechanism for resource management in cluster-based network



servers

Mohit Aron, Peter Druschel, Willy Zwaenepoel

June 2000 ACM SIGMETRICS Performance Evaluation Review, Proceedings of the 2000 ACM SIGMETRICS international conference on Measurement and modeling of computer systems SIGMETRICS '00, Volume 28 Issue 1

Publisher: ACM Press

Full text available: pdf(975.49 K8)

Additional Information: full citation, abstract, references, citings, index terms

In network (e.g., Web) servers, it is often desirable to isolate the performance of different classes of requests from each other. That is, one seeks to achieve that a certain minimal proportion of server resources are available for a class of requests, independent of the load imposed by other requests. Recent work demonstrates how to achieve this performance isolation in servers consisting of a single, centralized node; however, achieving performance isolation in a distributed, cluster bas ...

2 MRSVP: a resource reservation protocol for an integrated services network with mobile hosts



Anup Kumar Talukdar, B. R. Badrinath, Arup Acharya January 2001 Wireless Networks, Volume 7 Issue 1

Publisher: Kluwer Academic Publishers

Full text available: 📆 pdf(259.27 K8) Additional Information: full citation, references, citings, index terms

Keywords: integrated services, internet protocols, mobility, multimedia, quality of service, reservation protocol

Managing energy and server resources in hosting centers



Jeffrey S. Chase, Darrell C. Anderson, Prachi N. Thakar, Amin M. Vahdat, Ronald P. Doyle October 2001 ACM SIGOPS Operating Systems Review, Proceedings of the eighteenth ACM symposium on Operating systems principles SOSP '01, Volume 35 Issue

Publisher: ACM Press

Full text available: pdf(1.61 MB)

Additional Information: full citation, abstract, references, citings, index

terms

Internet hosting centers serve multiple service sites from a common hardware base. This paper presents the design and implementation of an architecture for resource management in a hosting center operating system, with an emphasis on energy as a driving resource management issue for large server clusters. The goals are to provision server resources for co-hosted services in a way that automatically adapts to offered load, improve the energy efficiency of server clusters by dynamically res ...

4 Cluster resource management: Resource overbooking and application profiling in shared hosting platforms



Bhuvan Urgaonkar, Prashant Shenoy, Timothy Roscoe

December 2002 ACM SIGOPS Operating Systems Review, Volume 36 Issue SI

Publisher: ACM Press

Full text available: pdf(2.00 MB)

Additional Information: full citation, abstract, references, citings

In this paper, we present techniques for provisioning CPU and network resources in shared hosting platforms running potentially antagonistic third-party applications. The primary contribution of our work is to demonstrate the feasibility and benefits of overbooking resources in shared platforms, to maximize the platform yield: the revenue generated by the available resources. We do this by first deriving an accurate estimate of application resource needs by profiling applications on dedicated no ...

Multipoint audio and video control for packet-based multimedia conferencing





October 1994 Proceedings of the second ACM international conference on Multimedia

Publisher: ACM Press

Full text available: pdf(979.60 KB)

Additional Information: full citation, abstract, references, citings, index

With the advent of broadband integrated services data network (B-ISDN) technologies such as Asynchronous Transfer Mode (ATM) networks, packet-based multimedia (e.g., live audio and video, animation, and text) conferencing is becoming a viable means for achieving virtual proximity, which enables us to overcome the physical separation in space and time and to interact more effectively in our science and engineering endeavors. To bring about the reality of virtual proximity, many technical iss ...

6 Multimedia over Wireless and Mobile Networks: Providing stochastic delay guarantees through channel characteristics based resource reservation in wireless network



Prasanna Chaporkar, Saswati Sarkar

September 2002 Proceedings of the 5th ACM international workshop on Wireless mobile multimedia

Publisher: ACM Press

Full text available: pdf(185.43 KB) Additional Information: full citation, abstract, references, index terms

This paper is directed towards providing quality of service guarantees for transmission of multimedia traffic over wireless links. The quality of service guarantees require transmission of packets within prespecified deadlines. Oftentimes, bursty, location dependent channel errors preclude such deadline satisfaction leading to packet drop. Wireless systems need resource reservation to limit such deadline violation related packet drop below acceptable thresholds. The resource reservation depends ...

Keywords: connection admission control, stochastic delay quarantees, wireless networks

RSVP extensions for real-time services in hierarchical mobile IPv6 Nen-Fu Huang, Whai-En Chen



December 2003 Mobile Networks and Applications, Volume 8 Issue 6

Publisher: Kluwer Academic Publishers

Full text available: pdf(416.82 KB) Additional Information: full citation, abstract, references, index terms

The Mobile IPv6 (MIPv6) provides many great features, such as sufficient addressing space, mobility, and security; MIPv6 is one of the most important protocols for next generation mobile Internet. Simultaneously, with the rapid improvement of wireless technologies, the real-time multi-media IP services such as video on demand, videoconference, interactive games, IP telephony and video IP phone will be delivered in the near future. Thus, to furnish accurate QoS for real-time services is one of th ...

Keywords: QoS and real-time services, RSVP, hierarchical MIPv6

Integrated service mobile internet: RSVP over mobile IPv4&6

Shing-Jiuan Leu, Ruay-Shiung Chang

December 2003 Mobile Networks and Applications, Volume 8 Issue 6

Publisher: Kluwer Academic Publishers

Full text available: ndf(200.38 KB) Additional Information: full citation, abstract, references, index terms

While the Internet keeps its penetration into every facet of life and every corner of the globe, two things stand out. One is the hunger for high quality of services to convey audio and video data. The other is the desire for ubiquitous connections. Combining the two we have an Internet that is capable of supporting multimedia communications for nomadic users on the move. To have a high quality connection, resource must be allocated along the connection path. The current Internet standard for re...

Keywords: mobile internet protocol, quality of service, resource reSerVation protocol

9 An efficient primary-segmented backup scheme for dependable real-time communication in multihop networks

Krishna Phani Gummadi, Madhavarapu Jnana Pradeep, C. Siva Ram Murthy February 2003 IEEE/ACM Transactions on Networking (TON), Volume 11 Issue 1

Publisher: IEEE Press

Full text available: to have a supplied by the supplied by the

Several distributed real-time applications (e.g., medical imaging, air traffic control, and video conferencing) demand hard quarantees on the message delivery latency and the recovery delay from component failures. As these demands cannot be met in traditional datagram services, special schemes have been proposed to provide timely recovery for real-time communications in multihop networks. These schemes reserve additional network resources (spare resources) a priori along a backup channel ...

Keywords: backup channel, backup multiplexing, dependable connection, multihop network, primary channel, quality-of-service (QoS), real-time communication, resource reservation protocol (RSVP), segmented backup

10 Metascheduling for continuous media

David P. Anderson

August 1993 ACM Transactions on Computer Systems (TOCS), Volume 11 Issue 3

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(1.64 MB)

terms, review

Next-generation distributed systems will support continuous media (digital audio and



video) in the same framework as other data. Many applications that use continuous media need guaranteed end-to-end performance (bounds on throughput and delay). To reliably support these requirements, system components such as CPU schedulers, networks, and file systems must offer performance guarantees. A metascheduler coordinates these components, negotiating end-to-end gu ...

Keywords: multimedia, resource management

11 UMTS and heterogenous networks: HO-RSVP: a protocol providing QoS support for





seamless handover between wireless networks Shouwen Lai, Yuanchen Ma, Hui Deng

October 2006 Proceedings of the 2nd ACM international workshop on Quality of service & security for wireless and mobile networks Q2SWinet '06

Publisher: ACM Press

Full text available: pdi(659.39 KB) Additional Information: full citation, abstract, references, index terms

RSVP is basically designed for fixed networks and does not provide mobility support. In order to provide QoS support for mobility in a wireless environment, we present a new resource reservation protocol for seamless handover. HO-RSVP integrates with Mobile IPv4 to maintain a continuous QoS guarantee between two mobile nodes. In the protocol, the resource reservation remains unaffected in the unchanged segments of the signal path in case of mobility. It is only necessary to make a new reservatio ...

Keywords: HO-RSVP, QoS, RSVP, handover, mobile IPv4

12 Report on the 5th IFIP international workshop on quality of service (IWQOS'97) Oguz Angin, Andrew T. Campbell, Lai-Tee Cheok, Raymond R-F Liao, Koon-Seng Lim, Klara



Nahrstedt

July 1997 ACM SIGCOMM Computer Communication Review, Volume 27 Issue 3

Publisher: ACM Press

Full text available: pdf(1.86 MB)

Additional Information: full citation, abstract, index terms

This paper presents a summary of the fifth International Workshop on Quality of Service (IWQOS) which was held at Columbia University in May 1997. The goal of this three-day meeting was to foster interaction between researchers active in the area of Quality of Service(QOS) research, to reflect on past experiences and lessons learnt, and to discuss future QOS challenges. To reflect this goal, this year's workshop included a hot program made up of (i) a keynote address on "Programming Telecommunic ...

13 Resource sharing for book-ahead and instantaneous-request calls

Albert G. Greenberg, R. Srikant, Ward Whitt

February 1999 IEEE/ACM Transactions on Networking (TON), Volume 7 Issue 1

Publisher: IEEE Press

Full text available: pdf(346.03 KB) Additional Information: full citation, references, citings, index terms

Keywords: advance reservation, book-ahead calls, integrated services networks, link partitioning, loss networks, quality of service, video teleconferencing

14 QoS: A proposal to improve network throughput using a QoS building blocks



approach at Central University of Venezuela María E. Villapol, Eric A. Gamess, Neudith Morales





October 2005 Proceedings of the 3rd international IFIP/ACM Latin American conference on Networking LANC '05

Publisher: ACM Press

Full text available: ndi(183.02 KB) Additional Information: full citation, abstract, references, index terms

Central University of Venezuela is the main university of Venezuela and has approximately 60,000 students and 16,000 staff members. The backbone network connects 11 colleges and many non-academic dependencies; some of them are located outside the main campus and even in other regions of the country. The Internet access is centralized and supported by private links at an aggregated data rate of 14.336 Mbps. Users of the institution network can access most of the Internet services with few or non ...

Keywords: congestion control, quality of service (QoS), service models

15 A packet-switched multimedia conferencing system.

Eve Schooler, Stephen Casner

January 1989 ACM SIGOIS Bulletin, Volume 10 Issue 1

Publisher: ACM Press

Full text available: pdf(689.43 KB) Additional Information: full citation, citings, index terms

16 A routing architecture for mobile integrated services networks

Shree Murthy, J. J. Garcia-Luna-Aceves

December 1998 Mobile Networks and Applications, Volume 3 Issue 4

Publisher: Kluwer Academic Publishers

Full text available: ndf(272.02 KB) Additional Information: full citation, abstract, references, index terms

A drawback of the conventional Internet routing architecture is that its route computation and packet forwarding mechanisms are poorly integrated with congestion control mechanisms. Any datagram offered to the network is accepted; routers forward packets on a best-effort basis and react to congestion only after the network resources have already been wasted. A number of proposals improve on this to support multimedia applications; a promising example is the Integrated Services Packet Networ ...

17 Technical papers: A receiver based protecting protocol for wireless multi-hop

networks

Emma Carlson, Martin Kubisch, Dániel Hollós

October 2005 Proceedings of the 2nd ACM international workshop on Performance evaluation of wireless ad hoc, sensor, and ubiquitous networks PE-WASUN '05

Publisher: ACM Press

Full text available: ndf(239.34 KB) Additional Information: full citation, abstract, references, index terms

Nowadays most medium access protoçols designed for wireless ad hoc networks are based on collision avoidance strategies like the CSMA/CA based IEEE 802.11 protocol. But these types of protocols are not designed for multi-hop scenarios -- the efficiency of the channel utilization is too low which results in, among others, large packet delays. One popular approach to increase the channel utilization is to reserve time slots along a transmission path, thus having a scheduled access. However, a majo ...

Keywords: JamTDMA, protocol, receiver protection, reservation protocol, wireless multihop networks

18 Reliability constrained routing in QoS networks





: Anirban Chakrabarti, G. Manimaran

June 2005 IEEE/ACM Transactions on Networking (TON), Volume 13 Issue 3

Publisher: ACM Press

Full text available: ndf(459.12 KB) Additional Information: full citation, abstract, references, index terms

The issue of handling network failures is becoming increasingly important. In this paper, we address the problem of constrained routing by treating reliability as one of the QoS requirements. The problem is to create a feasible path from a given node to the destination such that the bandwidth and reliability requirements of the path are satisfied and the cost of the path is minimized (Reliability Constrained Least Cost Routing Problem). To solve the problem, we propose an approach which employs a ...

Keywords: constrained routing, fault-tolerant routing, multicasting, resource reservation

19 Asymptotic resource consumption in multicast reservation styles

Danny J. Mitzel, Scott Shenker

October 1994 ACM SIGCOMM Computer Communication Review, Proceedings of the conference on Communications architectures, protocols and applications SIGCOMM '94, Volume 24 Issue 4

Publisher: ACM Press

Full text available: Additional Information: full citation, abstract, references, citings, index

The goal of network design is to meet the needs of resident applications in an efficient manner. Adding real-time service and point-to-multipoint multicast routing to the Internet's traditional point-to-point best effort service model will greatly increase the Internet's efficiency in handling point-to-multipoint real-time applications. Recently, the RSVP resource reservation protocol has introduced the concept of "reservation styles", which control how reservations are aggregat ...

20 Adaptive resource management algorithms for indoor mobile computing



environments

Songwu Lu, Vaduvur Bharghavan

August 1996 ACM SIGCOMM Computer Communication Review, Conference proceedings on Applications, technologies, architectures, and protocols for computer communications SIGCOMM '96, Volume 26 Issue 4

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(299.22 KB)

Emerging indoor mobile computing environments seek to provide a user with an advanced set of communication-intensive applications, which require sustained quality of service in the presence of wireless channel error, user mobility, and scarce available resources. In this paper, we investigate two related approaches for the management of critical networking resources in indoor mobile computing environments:• adaptively readjusting the quality of service within pre-negotiated bounds in o ...

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Home | Login | Logaut | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((reserve<in>metadata) <and> (network <in>metadata)) <and> (resource&l..." Your search matched 359 of 1436708 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE Journal or IEEE JNL

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IEE Conference

IEE CNF

Proceeding

IEEE SYD IEEE Standard

Modify Search

((reserve<in>metadata) <and> (network <in>metadata))<and> (resource<in>met

Check to search only within this results set

Display Format:

view selected items

▧

Citation Citation & Abstract

Select All Deselect All

View: 1-25 | 26-5

1. IP easy-pass: a light-weight network-edge resource access control

Haining Wang; Bose, A.; El-Gendy, M.; Shin, K.G.;

Networking, IEEE/ACM Transactions on

Volume 13, Issue 6, Dec. 2005 Page(s):1247 - 1260 Digital Object Identifier 10.1109/TNET.2005.860113

AbstractPlus | Full Text: PDF(720 KB) IEEE JNL

Rights and Permissions

2. A probabilistically adaptive resource reservation scheme in future wirele: oriented IP networks

Bin Wu; Geng-Sheng Kuo;

Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th

Volume 5, 26-29 Sept. 2004 Page(s):3476 - 3480 Vol. 5 Digital Object Identifier 10.1109/VETECF.2004.1404710

AbstractPlus | Full Text: PDF(2132 KB) | IEEE CNF

Rights and Permissions

3. IP easy-pass: edge resource access control

Haining Wang; Bose, A.; El-Gendy, M.; Shin, K.G.;

INFOCOM 2004. Twenty-third Annual Joint Conference of the IEEE Computer:

Communications Societies

Volume 4, 7-11 March 2004 Page(s):2583 - 2593 vol.4

AbstractPlus | Full Text: PDF(845 KB) IEEE CNF

Rights and Permissions

4. A practical and economical approach to resource allocation 匫

Hidano, F.;

Global Telecommunications Conference, 1996, GLOBECOM '96, 'Communications' Conference, 1996, GLOBECOM '96, Conference, 19 Global Prosperity

Volume 2, 18-22 Nov. 1996 Page(s):1107 - 1113 vol.2

Digital Object Identifier 10.1109/GLOCOM.1996.587605

AbstractPlus | Full Text: PDF(676 KB) IEEE CNF

Rights and Permissions

5. Analysis of multi-path routing

Cidon, I.; Rom, R.; Shavitt, Y.;

Networking, IEEE/ACM Transactions on

Volume 7, Issue 6, Dec. 1999 Page(s):885 - 896

Digital Object Identifier 10.1109/90.811453

AbstractPlus | References | Full Text: PDF(292 KB) | IEEE JNL

Rights and Permissions

6. The study of handoff prediction schemes for resource reservation in mok wireless networks

Li-Liann Lu; Wu, J.-L.C.; Wei-Yeh Chen;

Advanced Information Networking and Applications, 2004. AINA 2004. 18th Int Conference on

Volume 1, 2004 Page(s):379 - 384 Vol.1

Digital Object Identifier 10.1109/AINA.2004.1283940

AbstractPlus | Full Text: PDF(355 KB) IEEE CNF

Rights and Permissions

₩

7. Threshold based selective link restoration for optical WDM mesh network

Shenai, R.; Maciocco, C.; Mishra, M.; Sivalingam, K.;

Design of Reliable Communication Networks, 2003. (DRCN 2003). Proceeding International Workshop on

19-22 Oct. 2003 Page(s):31 - 38

Digital Object Identifier 10.1109/DRCN.2003.1275335

AbstractPlus | Full Text: PDF(948 KB) IEEE CNF

Rights and Permissions

8. GPRS/EDGE performance on reserved and shared packet data channels ₩

Ivanov, K.; Ball, C.F.; Treml, F.;

Vehicular Technology Conference, 2003, VTC 2003-Fall, 2003 IEEE 58th Volume 2, 6-9 Oct. 2003 Page(s):912 - 916 Vol.2

AbstractPlus | Full Text: PDF(1102 KB) | IEEE CNF

Rights and Permissions

9. FPAC: fast, fixed-cost authentication for access to reserved resources

Calvert, K.L.; Venkatraman, S.; Griffioen, J.N.;

INFOCOM 2002, Twenty-First Annual Joint Conference of the IEEE Computer

Communications Societies, Proceedings, IEEE

Volume 2, 23-27 June 2002 Page(s):1049 - 1058 vol.2

Digital Object Identifier 10.1109/INFCOM.2002.1019353

AbstractPlus | Full Text: PDF(350 KB) IEEE CNF

Rights and Permissions

10. Incremental, dynamic, virtual circuit connection (IVCC): a new paradigm (future high-speed networks

Razouqi, Q.; Lee, T.; Seong-Soon Joo; Ghosh, S.;

Communications, 2001, ICC 2001, IEEE International Conference on

Volume 8, 11-14 June 2001 Page(s):2578 - 2582 vol.8

Digital Object Identifier 10.1109/ICC.2001.936615

AbstractPlus | Full Text: PDF(456 KB) | IEEE CNF

Rights and Permissions

11. Dynamic RSVP for mobile IPv6 in wireless networks

Geng-Sheng Kuo; Po-Chang Ko;

Vehicular Technology Conference Proceedings, 2000, VTC 2000-Spring Tokyo

Volume 1, 15-18 May 2000 Page(s):455 - 459 vol.1

Digital Object Identifier 10.1109/VETECS.2000.851498

AbstractPlus | Full Text: PDF(452 KB) IEEE CNF

Rights and Permissions

12. Capacity optimization in multiservice mobile wireless networks with mult ▧ channel reservation

Heredia-Ureta, H.; Cruz-Perez, F.A.; Ortigoza-Guerrero, L.;

Vehicular Technology, IEEE Transactions on Volume 52, Issue 6, Nov. 2003 Page(s):1519 - 1539 Digital Object Identifier 10.1109/TVT.2003.819617

AbstractPlus | References | Full Text: PDF(3388 KB) IEEE JNL Rights and Permissions

13. Signaling and QoS guarantees in mobile ad hoc networks

Chi-Hsiang Yeh; Mouftah, H.T.; Hassanein, H.;

Communications, 2002, ICC 2002, IEEE International Conference on

Volume 5, 28 April-2 May 2002 Page(s):3284 - 3290 vol.5

Digital Object Identifier 10.1109/ICC.2002.997440

AbstractPlus | Full Text: PDF(252 KB) IEEE CNF

Rights and Permissions

14. Tree-based admission control for mobile QoS in Diffserv networks

Moon, J.M.; Lee, S.H.;

Advanced Communication Technology, 2006, ICACT 2006. The 8th Internation Volume 2, 20-22 Feb. 2006 Page(s):4 pp.

AbstractPlus | Full Text: PDF(496 KB) | IEEE CNF

Rights and Permissions

15. Spinning Reserve from Responsive Load via Intelligent Energy Managem

Qingqi Zhao; Ming Li; Huaguang Zhang;

Networking, Sensing and Control, 2006, ICNSC '06, Proceedings of the 2006 I

Conference on

23-25 April 2006 Page(s):715 - 720

AbstractPlus | Full Text: PDF(480 KB) IEEE CNF

Rights and Permissions

16. Probability based dynamic channel reservation strategy for reliable hand Ѭ multimedia LEO satellite communications

Fei Huang; Shiqi Wu; Hui Xu; Jun Liu; Bailong Xiao;

Microwave, Antenna, Propagation and EMC Technologies for Wireless Commi

MAPE 2005, IEEE International Symposium on

Volume 2, 8-12 Aug. 2005 Page(s):1567 - 1570 Vol. 2

Digital Object Identifier 10.1109/MAPE.2005.1618226

AbstractPlus | Full Text: PDF(1184 KB) IEEE CNF

Rights and Permissions

17. A capable location prediction and bandwidth reservation scheme for mul Ѭ mobile cellular networks

Sanabani, M.; Shamala, S.; Othman, M.; Desa, J.;

Applied Electromagnetics, 2005, APACE 2005, Asia-Pacific Conference on

20-21 Dec. 2005 Page(s):5 pp.

Digital Object Identifier 10.1109/APACE.2005.1607841

AbstractPlus | Full Text: PDF(2512 KB) | IEEE CNF

Rights and Permissions

18. QoS control method to reduce resource reservation failure in datagrid ap

Noro, M.; Baba, K.; Shimojo, S.;

Communications, Computers and signal Processing, 2005, PACRIM, 2005 IEE Conference on

24-26 Aug. 2005 Page(s):478 - 481

Digital Object Identifier 10.1109/PACRIM.2005.1517330

AbstractPlus | Full Text: PDF(393 KB) IEEE CNF

Rights and Permissions

19. An adaptive history-based and topology-independent resource reservation ▧ future wireless mobile multimedia networks

Hai-Bo Guo; Geng-Sheng Kuo;

Vehicular Technology Conference, 2005, VTC 2005-Spring, 2005 IEEE 61st

Volume 5, 30 May-1 June 2005 Page(s):2746 - 2750 Vol. 5 Digital Object Identifier 10.1109/VETECS.2005.1543846

AbstractPlus | Full Text: PDF(1808 KB) | IEEE CNF

Rights and Permissions

20. A novel resources provisioning scheme in time slotted optical networks

Hafid, A.; Maach, A.;

Communications, 2005. ICC 2005, 2005 IEEE International Conference on

Volume 3, 16-20 May 2005 Page(s):1641 - 1645 Vol. 3 Digital Object Identifier 10.1109/ICC.2005.1494621

AbstractPlus | Full Text: PDF(216 KB) | IEEE CNF

Rights and Permissions

21. Adaptive threshold-based admission control

Sandstrom, H.; Bodin, U.; Schelen, O.;

Communications, 2005. ICC 2005. 2005 IEEE International Conference on

Volume 1, 16-20 May 2005 Page(s):48 - 52 Vol. 1 Digital Object Identifier 10.1109/ICC.2005.1494319

AbstractPlus | Full Text: PDF(124 KB) IEEE CNF

Rights and Permissions

22. Fast and resource efficient segment-based failure recovery in WDM optic

Saradhi, C.V.; Ng Chee Kong; Gurusamy, M.;

Military Communications Conference, 2004, MILCOM 2004, IEEE

Volume 3, 31 Oct.-3 Nov. 2004 Page(s):1331 - 1337 Vol. 3

Digital Object Identifier 10.1109/MILCOM.2004.1495136

AbstractPlus | Full Text: PDF(432 KB) IEEE CNF

Rights and Permissions

23. Handoff prediction by mobility characteristics in wireless broadband net

Li-Liann Lu; Wu, J.-L.C.;

World of Wireless Mobile and Multimedia Networks, 2005, WoWMoM 2005, Si

International Symposium on a

13-16 June 2005 Page(s):469 - 471

Digital Object Identifier 10.1109/WOWMOM.2005.49

AbstractPlus | Full Text: PDF(168 KB) IEEE CNF

Rights and Permissions

24. Performance analysis of radio resource allocation for multimedia traffic i Ѭ networks

Wei-Yeh Chen; Wu, J.-L.C.;

Advanced Information Networking and Applications, 2005, AINA 2005, 19th Inf

Conference on

Volume 1, 28-30 March 2005 Page(s):432 - 437 vol.1

Digital Object Identifier 10.1109/AINA.2005.273

AbstractPlus | Full Text: PDF(112 KB) | IEEE CNF

Rights and Permissions

25. Adaptive resource management in multi-service mobile wireless cellular feedback control

Hossain, M.; Hassan, M.; Sirisena, H.R.;

Vehicular Technology Conference, 2004, VTC2004-Fall, 2004 IEEE 60th

Volume 6, 26-29 Sept. 2004 Page(s):3984 - 3988 Vol. 6

Digital Object Identifier 10.1109/VETECF.2004.1404825

AbstractPlus | Full Text: PDF(1795 KB) IEEE CNF

Rights and Permissions

View: 1-25 | 26-5

Help Contact Us Privacy & :

© Copyright 2006 (EEE -

inspec"

<u>Sign</u> in

Google

Web Images Video News Maps more » Advanced Search reserve network resource conference schedule Search **Preferences**

Results 1 - 10 of about 923,000 for reserve network resource conference schedule. (0.18 seconds) Web

Conference Schedule - University Center on Aging and Health - CASE Download the conference brochure and program ... Resource: David Simpson, MA, LSW. CEO, Hospice of the Western Reserve, Cleveland, Ohio; Trustee, ... fpb.case.edu/CFA/conf2006.shtm - 39k - Cached - Similar pages

[PDF] Co-Allocation of Compute and Network Resources in the VIOLA ...

File Format: PDF/Adobe Acrobat - View as HTML

It allows for the MSS or other applications to reserve network, capacity and scheduled services. ... In Proceedings of the 15th international conference on ...

www.coregrid.net/mambo/images/stories/TechnicalReports/tr-0051.pdf - Similar pages

[PS] Managing Network Resources in Condor

File Format: Adobe PostScript - View as Text

We have developed mechanisms to, monitor, control, and schedule network usage in

Condor. By managing network resources, these mechanisms provide ...

www.cs.wisc.edu/condor/doc/netman-hpdc9.ps - Similar pages

[PDF] Managing Network Resources in Condor

File Format: PDF/Adobe Acrobat - View as HTML

demands on network resources for checkpointing and, remote data access. We have developed mechanisms to. monitor, control, and schedule network usage in ... www.cs.wisc.edu/condor/doc/netman-hpdc9.pdf - Similar pages

Learning Resources Conference (LRA) 2004

30th Annual Learning Resources Association Conference ... Participants should have a basic understanding of basic reserve services in their libraries. ... www.gaston.cc.nc.us/library/lraweb/schedule.htm - 47k - Cached - Similar pages

Conference Schedule, Living the Future 5 Conference: The ...

How SPRAT Sprouted: Using Decision-Making Tools to Create Resource Profiles in ... implementation of audio reserves, electronic color and graphic reserves, ... www.library.arizona.edu/conferences/ltf/2004/UAPresentations.html - 23k -Cached - Similar pages

OVGTSL 2005 Conference: Schedule

Conference Schedule. Wednesday / Thursday / Friday ... founding co-Director of the Resource Discovery Network (RDN), and Director of the Joint Information ... www.denison.edu/collaborations/ovgtsl2005/schedule/schedule_index.html - 24k -Cached - Similar pages

Story, Metaphor Vision Conference Schedule

3:00 p.m. Break. 3:30 p.m. Conference Session. Brian Rotman, Ohio State University Some Remarks on the Virtual. Mark Turner, Case Western Reserve University ... shc.stanford.edu/events/CogSciSchedule.htm - 12k - Cached - Similar pages

[PDF] Managing network resources in condor - High-Performance ...

File Format: PDF/Adobe Acrobat

monitol; control, and schedule network usage in Condor; ... the Conference on Supercomputing,. 1999. High-throughput resource man-. agement. In ... ieeexplore.ieee.org/iel5/6975/18801/00868666.pdf - Similar pages

NCIIA - Conference Schedule, 2004

Conference Schedule. Choose a schedule to view. ... 12:00 pm-2:00 pm Luncheon Session-NCIIA Resource Snapshots and NCIIA/DSEF Award presentation ... www.nciia.org/conf_04/proceedings_04/htmldocs/redirect.html - 65k -Cached - Similar pages

> Result Page: 1 <u>2 3 4 5 6 7 8 9 10</u> **Next**

> > reserve network resource conference Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google